#### **Exercises on Grammars**

1. Consider the following grammar:

```
S -> (L) | a
L -> L, S | S
```

- Is this grammar ambiguous?
- Is this grammar LL(1)?
- Compute the First and Follow sets for the new grammar.
- Construct the parsing table for the LL(1) parser

## Finding an LL(1) grammar

- No procedural way! Practice ...
- But there are some recommended practices that generally help in finding one.
- Eg. try to eliminate left recursion.
  - There is a procedure for this but you don't have to faithfully follow the entire approach.
  - Just think of what left recursion brings and what can be done to eliminate them

## Removing Left Recursion

```
S -> (L) | a
L -> L, S | S
```

- How does a derivation starting from 'L' look ?
- L => L, S=> L, S, S=>\* L, S, ..., S=> S, ..., S
- L->L,S | S is equivalent to L->S,L | S
   S->(L) | a
   L->S,L | S

## Removing Left Recursion

- In general, L -> L  $\alpha$  |  $\beta_1$  | ... |  $\beta_n$
- L ->  $\beta_1 Z | ... | \beta_n Z | \beta_1 | ... | \beta_n$
- Z ->  $\alpha$  Z |  $\epsilon$
- This will remove immediate recursion but only when there are no epsilon productions in the grammar
- Otherwise, we need to remove epsilon productions which will discussed along with CYK parsing
- Removing indirect recursion

## Removing Left Recursion

- Order nonterminals Eg. (1) S, (2) L
- Enforce that if A -> B then A should precede B in the ordering
- S -> L a and L -> b satisfy the constraint but L -> S a doesn't
- Inline the production of S in L -> S a
- We get, L -> Laa | b, Remove left recursion.
  - Result: L -> b Z | b Z -> a a Z |  $\epsilon$
- If inlining does not result in left recursive production or doesn't satisfy the constraints, inline again.

## Example 1 [Cont.]

After eliminating left recursion

• Is this LL(1) now?

## Example 1 [Cont.]

After eliminating left recursion

• Is this LL(1) now?

### Left factorization

 Identify a common prefix and push the suffixes to a new nonterminal.

S -> ( L ) | a  
L -> S Z  
Z -> , L | 
$$\epsilon$$

Is this LL(1) now ? Yes

# Exercise 1 - First and Follow sets (with EOF)

```
S \rightarrow (L) EOF \mid a EOF

L \rightarrow S Z

Z \rightarrow , L \mid \epsilon
```

- $First(S) \supseteq First((L)) \cup First(a) = \{(, a)\}$
- $First(L) \supseteq First(SZ) = First(S)$
- $First(Z) \supseteq First(, L) = \{,\}$
- $Follow(S) \supseteq Follow(L) \cup Follow(Z)$
- $Follow(L) \supseteq \{\} \cup Follow(Z)$
- $Follow(Z) \supseteq Follow(L)$

## First and Follow sets [Cont.]

```
S -> (L) EOF | a EOF
L -> S Z
Z -> , L | \epsilon
```

- Solution to the above constraints:
  - $First(S) = First(L) = \{(, a)\}$
  - $First(Z) = \{,\}$
  - $Follow(S) = Follow(L) = Follow(Z) = \{ \}$
- Moreover, Z is Nullable

## LL(1) parsing table

- (1) S -> (L) EOF
- (2) S -> a EOF
- (3) L -> S Z
- (4) Z -> , L
- (5)  $Z -> \epsilon$

	a	(	)	,	EOF
S	2	1	Error	Error	Error
L	3	3	Error	Error	Error
Z	Error	Error	5	4	Error

Consider a grammar for expressions where the multiplication sign is optional.

- Find a LL(1) grammar recognizing the same language
- Create the LL(1) parsing table.

#### Exercise 2 – Solution

- First let's make the grammar unambiguous by associating precedence with operators
- In the process we also made sure that the grammar does not have left recursion
- ex ::= S + ex | S
- S ::= ID \* S | ID S | ID
- Left factorization:
- ex ::= S Z
- $Z := + ex | \epsilon$
- S ::= ID Z2
- Z2 ::= \* S | S | *ϵ*

## Exercise 2 – LL(1) parsing table

- ex ::= S Z EOF
- Z ::= + ex |  $\epsilon$
- S ::= ID Z2
- Z2 ::= \* S | S | *ϵ*
- First let's compute first and follow sets after adding EOF to the end of the start symbol productions
  - First(ex) = First(S) = { ID }
  - $First(Z) = \{ + \} First(Z2) = \{ * , ID \}$
  - Follow(ex) = Follow(Z) = { EOF }
  - Follow(S) = Follow(Z2) = { EOF, + }
- Z and Z2 are nullable

## LL(1) parsing table

2. 
$$Z := + ex$$

3. 
$$Z := \epsilon$$

7. 
$$Z2 := \epsilon$$

	ID	+	*	EOF
ex	1	Error	Error	Error
Z	Error	2	Error	3
S	4	Error	Error	Error
Z2	6	7	5	7

Balanced Parentheses over  $\{ (, [\} S ::= (S) | [S] | SS | \epsilon \}$ 

• Find a LL(1) grammar recognizing the language

#### Exercise 3 - Solution

- S ::= (S) | [S] | SS |  $\epsilon$
- 'S' produces epsilon. Hence, we need to first eliminate epsilon (discussed later) and then remove left recursion from S ::= S S
- Instead, let's apply the same logic as removing left recursion but without performing all the steps.
- The role of the production S ::= S S is to produce a sequence of S that begin with either (S) or [S]. i.e,
  - (S)SS....S
  - [S]SS.....S

#### Exercise 3 - Solution

- Each of the successive S 'es can rewrite to either (S) or [S]. That is, in essence S ::= S S produces sequences given by the regular expression ((S) | [S]) \*
  - E.g (S)(S)[S](S)... is one such sequence
- The same effect can be achieved by the right recursive rules
  - $-S := (S)S | [S]S | \epsilon$
- The above grammar is LL(1)

Prove that every LL(1) grammar is unambiguous.

#### Solution to Exercise 4

#### Intuition:

Every production of a non-terminal belonging to an LL(1) grammar generates a set of strings that is completely disjoint from the other alternatives because of the following two reasons:

- (a) For every nonterminal, the first sets of every alternative are disjoint which implies that they produce disjoint non-empty strings.
- (b) There is at most one production for a non-terminal that can produce an empty string

Formal proof is presented in the next slide

## Solution to Exercise 4 [Cont.]

Claim: Every string w derivable from every non-terminal N belonging to an LL(1) grammar in n-steps has a unique left most derivation.

Base case: w is derivable from N in 1 step.

- In this case, there has to exist a production N -> w
- Say w is non-empty i.e, w = a x
  - Clearly, there cannot be any other production of N that can derive w.
     Otherwise, its first set will intersect with that of the production
     N -> w
- Say w is empty
  - Clearly, there cannot be any other production of N that can derive empty string. Otherwise, N will have two nullable productions.

## Solution to Exercise 4 [Cont.]

Inductive case: w is derivable from N in k steps i.e,  $N \Rightarrow^k w$ 

- Say w is non-empty i.e, w = a x
  - For every nonterminal N, s.t N =>\* w, the first rule that N uses is the alternative of N whose first set has 'a'
  - Let the alternative of N whose first set has 'a' be N  $\rightarrow \alpha$
  - $-N \Rightarrow A_1 A_2 \cdots A_n \Rightarrow^{k-1} W$
  - Let  $w_i$  be the substring of w generated by  $A_i$
  - Clearly,  $A_i$  generates  $w_i$  in less than k steps i.e,  $A_i \Rightarrow^j w_i$ ,  $j \le k-1$
  - By hypothesis,  $A_i \Rightarrow^j w_i$  is unique for each  $A_i$ . Hence,  $N \Rightarrow w$  is also unique
- Say w is empty
  - Similar to the above argument, the first rule that N uses is the alternative of N that is nullable which is say N  $\rightarrow \alpha$
  - The rest of the proof is similar to the above case

Say that a grammar has a cycle if there is a *reachable,* productive non-terminal A such that  $A \Rightarrow^+ A$ , i.e. it is possible to derive the nonterminal A from A by a nonempty sequence of production rules.

Show that if a grammar has a cycle, then it is not LL(1).

#### Solution to Exercise 5

- We proved before that LL(1) grammars are not ambiguous
- Consider a left most derivation D that contains A
- D:  $S \Rightarrow^* xA\beta \Rightarrow^* w$ 
  - Where, x is a (possibly empty) sequence of terminals and
  - $\beta$  is a sentential form
  - Such a derivation must exist as A is reachable (from the start symbol)
     and also productive
- Using  $A \Rightarrow^+ A$ , we can derive another derivation for w
- D':  $S \Rightarrow^* xA\beta \Rightarrow^+ xA\beta \Rightarrow^* w$
- There exists two left most derivations and hence two parse trees for w
- The grammar is ambiguous and hence cannot be LL(1)

Show that the regular languages can be recognized with LL(1) parsers. Describe a process that, given a regular expression, constructs an LL(1) parser for it.

#### Solution for Exercise 6

- Let the DFA for the regular language be  $A: (\Sigma, Q, q_0, \delta, F)$
- Define a grammar G: (N, T, P, S) where,
- N =  $\{S_i \mid 1 \le i \le |Q|\}$
- $T = \Sigma$
- $S = S_0$
- $\delta(q_i, a) = q_i \Rightarrow S_i \rightarrow a S_i \in P$
- $q_i \in F \Rightarrow S_i \to \epsilon \in P$

$$L(A) = L(G)$$

Show that the language  $\{a^nb^m \mid n > m\}$  cannot have an LL(1) grammar ?

Note that the following grammar recognizes the language but is not LL(1)

S -> a S | P

P->aPb|a

This question interesting but is quite difficult. A proof for this is provided in a separate pdf file in the lara wiki.

This is meant only as a supplementary material to provide more insights into LL(1) grammars.

It is not essential to fully understand the proof of this question.