

Automating Construction of Lexers

Example in javacc

TOKEN: {

<IDENTIFIER: <LETTER> (<LETTER> | <DIGIT> | "_")* >

| <INTLITERAL: <DIGIT> (<DIGIT>)* >

| <LETTER: ["a"-"z"] | ["A"-"Z"]>

| <DIGIT: ["0"-"9"]>

}

SKIP: {

" " | "\n" | "\t"

}

--> get automatically generated code for lexer!

But how does javacc do it?

A Recap: Simple RE to Programs

Regular Expression


- a
- r1 r2
- (r1|r2)
- r*

Code

- **if** (current=a) next **else** error
- (code for r1) ;
(code for r2)
- **if** (current in first(r1))
 code for r1
else
 code for r2
- **while**(current in first(r))
 code for r


Regular Expression to Programs

- How can we write a lexer for $(a^*b \mid a)$?
- `aaaab` Vs `aaaaa`



Finite Automaton (Finite State Machine)

- $A = (\Sigma, Q, q_0, \delta, F)$



$$\delta \subseteq Q \times \Sigma \times Q,$$

$$q_0 \in Q,$$

$$F \subseteq Q$$


$$q_0 \in Q,$$

$$q_1 \subseteq Q$$

$$\delta = \{ (q_0, a, q_1), (q_0, a, q_0) \\ (q_1, a, q_1), (q_1, b, q_1) \}$$

- Σ - alphabet
- Q - states (nodes in the graph)
- q_0 - initial state (with '->' sign in drawing)
- δ - transitions (labeled edges in the graph)
- F - final states (double circles)

Numbers with Decimal Point



digit digit* . digit digit*

What if the decimal part is optional?

Automata Tutor

www.automatatutor.com

- A website for learning automata
- We have posted some exercises for you to try.
- Create an account for yourself
- Register to the course
 - Course Id: **23EPFL-CL**
 - Password: **GHL2AQ3I**

Exercise

- Design a DFA which accepts all strings in $\{a, b\}^*$ that has an even length

Exercise

- Construct an automaton that recognizes all strings over $\{a, b\}$ that contain "aba" as a substring

Exercise

- Construct an automaton that recognizes all strings over $\{a,b\}$ that contain "aba" as a substring and is of even length


Exercise

- Design a DFA which accepts all the numbers written in binary and divisible by 2. For example, your automaton should accept the words 0, 10, 100, 110...

Exercise



- Design a DFA which accepts all the numbers written in binary and divisible by 3. For example your automaton should accept the words 0, 11, 110, 1001, 1100 ...
- Can you generalize this to any divisor 'n' ?
- Can you generalize this to any base 'b' ?

Kinds of Finite State Automata




- Deterministic FA (DFA): δ is a function : $(Q, \Sigma) \mapsto Q$
- Non-deterministic FA (NFA): δ could be a relation
- In NFA there is no unique next state. We have a set of possible next states.

Undefined Transitions



- Undefined transitions lead to a sink state from where no input can be accepted

Epsilon Transitions



- Epsilon transitions: traversing them does not consume anything (empty word)
- More generally, transitions labeled by a word: traversing such transition consumes that entire word at a time

Interpretation of Non-Determinism

- For a given word (string), a path in automaton lead to accepting, another to a rejecting state
- Does the automaton accept in such case?
 - yes, if there **exists** an accepting path in the automaton graph whose symbols give that word

Exercise

- Construct a NFA that recognizes all strings over $\{a,b\}$ that contain "aba" as a substring

NFA Vs DFA

- For every NFA there exists an equivalent DFA that accepts the same set of strings
- But, NFAs could be exponentially smaller.
- That is, there are NFAs such that every DFA equivalent to it has exponentially more number of states

Exercise

- Construct a NFA and a DFA that recognizes all strings over $\{a,b,c\}$ that do not contain all the alphabets a, b and c.

(let's start with a regular expression)

- Food for thought:
 - Can you prove that every DFA for this language will have exponentially more states than the NFA ?

Regular Expressions and Automata

Theorem:


If L is a set of words, it is describable by a regular expression iff (if and only if) it is the set of words accepted by some finite automaton.

Algorithms:


- regular expression \rightarrow automaton (important!)
- automaton \rightarrow regular expression (cool)

Recursive Constructions

- Union




- Concatenation




Recursive Constructions

- Star



Exercise: $(aa)^* \mid (aaa)^*$


- Construct an NFA for the regular expression



NFAs to DFAs (Determinisation)

- keep track of a set of all possible states in which the automaton could be
- view this finite set as one state of new automaton

NFA to DFA Conversion



Possible states of the DFA: 2^Q


$\{ \{ \} , \{ 0 \}, \dots, \{ 12 \}, \{ 0, 1 \}, \dots, \{ 0, 12 \}, \dots, \{ 12, 12 \}, \{ 0, 1, 2 \} \dots, \{ 0, 1, 2, \dots, 12 \} \}$

NFA to DFA Conversion


- Epsilon Closure
- $E(0) = \{ 0,5,1,2,6\}$, $E(1) = \{ 1\}$, $E(2) = \{$
- $E(q) = \{ q_1 \mid \delta(q, \epsilon, q_1) \}$

- DFA: $(\Sigma, 2^Q, q'_0, \delta', F')$
- $q'_0 = E(q_0)$
- $\delta'(q', a) = \bigcup_{\{\exists q_1 \in q', \delta(q_1, a, q_2)\}} E(q_2)$
- $F' = \{ q' \mid q' \in 2^Q, q' \cap F \neq \emptyset \}$

NFA to DFA Conversion



NFA to DFA Example



Remark: Relations and Functions

- Relation $r \subseteq B \times C$

$$r = \{ \dots, (b, c1), (b, c2), \dots \}$$

- Corresponding function: $f : B \rightarrow 2^C$

$$f = \{ \dots (b, \{c1, c2\}) \dots \}$$

$$f(b) = \{ c \mid (b, c) \in r \}$$

- Given a state, next-state function returns the set of new states
 - for deterministic automaton, the set has exactly 1 element

Clarifications

- what happens if a transition on an alphabet 'a' is not defined for a state 'q' ?
- $\delta'(\{q\}, a) = \emptyset$
- $\delta'(\emptyset, a) = \emptyset$
- Empty set represents a state in the NFA
- It is a trap/sink state: a state that has self-loops for all symbols, and is non-accepting.

Running NFA (without epsilons) in Scala

```
def  $\delta$ (q : State, a : Char) : Set[States] = { ... }  
def  $\delta'$ (S : Set[States], a : Char) : Set[States] = {  
  for (q1 <- S, q2 <-  $\delta$ (q1,a)) yield q2  
}  
def accepts(input : MyStream[Char]) : Boolean = {  
  var S : Set[State] = Set(q0) // current set of states  
  while (!input.EOF) {  
    val a = input.current  
    S =  $\delta'$ (S,a) // next set of states  
  }  
  !(S.intersect(finalStates).isEmpty)  
}
```

Running NFA in Scala

- Modify this to handle epsilon transitions.

```
def  $\delta$ (q : State, a : Char) : Set[States] = { ... }  
def  $\delta'$ (S : Set[States], a : Char) : Set[States] = {  
  for (q1 <- S, q2 <-  $\delta$ (q1,a))  
    for(q <-  $\delta$ (q2,  $\epsilon$ )) yield q  
}
```


Minimizing DFAs

- Merge equivalent states.
 - q_0 and q_1 are equivalent iff there is no distinguishing string
 - $\hat{\delta}(q_0, z) \in F \Leftrightarrow \hat{\delta}(q_1, z) \in F$
 - Corollary of *Myhill-Nerode Theorem*
- Final and non-final states are not equivalent as ϵ distinguishes them




Minimizing DFAs: Procedure

- Maintain a partition A of states
- Every set in the partition has a different behavior i.e, they have a distinguishing string
- States within a partition may or may not be equivalent
- Initially, we have $(F, Q - F)$




Minimizing DFAs: Procedure



- A: $\{0,2,3,4,6\}$ $\{1,5\}$
- split based on $\{0,2,3,4,6\}$
 - A: $\{0,4,6\}$ $\{2,3\}$ $\{1,5\}$
- split based on $\{2,3\}$
 - A: $\{0,4,6\}$ $\{2,3\}$ $\{1\}$ $\{5\}$
- split based on $\{1\}$
 - A: $\{0,6\}$ $\{4\}$ $\{2,3\}$ $\{1\}$ $\{5\}$
- split based on $\{4\}$
 - A: $\{0,6\}$ $\{4\}$ $\{2\}$ $\{3\}$ $\{1\}$ $\{5\}$



Minimizing DFAs: Procedure



- The minimal DFA is unique (up to isomorphism)
- Implication of *Myhill-Nerode theorem*
- *Food For Thought: Can we minimize NFA ?*

Properties of Automaton

- **Complement:** $(\Sigma^* \setminus L(A))$
 - switch accepting and non-accepting states in **deterministic automaton**
 - Does not work for non-deterministic automaton
- **Intersection:** $L(A_1) \cap L(A_2)$
 - $(\Sigma, Q_1 \times Q_2, (q_0^1, q_0^2), \delta', F_1 \times F_2)$
 - $\delta'((q_1, q_2), a) = \delta(q_1, a) \times \delta(q_2, a)$

Properties of Automaton

- **Intersection:**
 - complement union of complements
- **Set difference:** intersection with complement
- **Inclusion:** emptiness of set difference
- **Equivalence:** two inclusions

Exercise

- Design a DFA which accepts all the numbers written in binary and divisible by 6. For example your automaton should accept the words 0, 110 (6 decimal) and 10010 (18 decimal).

Exercise: first, nullable

- For each of the following languages find the *first* set. Determine if the language is *nullable*.
 - $(a|b)^* (b|d) ((c|a|d)^* | a^*)$