

Data-flow analysis exercises

Draw the control-flow graph for the following program,
then perform range analysis.

All integer range [-128...127]

prog1:

```
var a = input()  
var b = 50-a  
var c = -1  
if(a > b && a > c) {  
    c = a  
} else if(b > c) {  
    c = b  
}  
var c = 100/c
```

prog2:

```
var a = input()  
var c = 1  
val r = 1  
while(c < a) {  
    if( a % c == 0 ) r = c  
    c = c + 1  
}  
r = 64 / (64-r)
```

prog3:

```
var x = 2  
var y = input()  
if (x == y) {  
    do {  
        y = y + 1  
        x = x + y + 3  
    } while (y < 4)
```


```
} else if (y <= -1 && y >= -7) {  
    y = y * y  
} else {  
    y = x - 3  
}  
val z = x/y
```

1. Draw the control-flow graph for the following program, then perform range analysis.

All integer range [-128...127]

```
var a = input()
var b = 50-a
var c = -1
if(a > b && a > c) {
    c = a
} else if(b > c) {
    c = b
}
var c = 100/c
```

1. Solution



1. Range analysis


	a	b	c
1:	bottom	bottom	bottom
2:	[-128, 127]	bottom	bottom
3:	[-128, 127]	[-77;127]	bottom
4:	[-128, 127]	[-77;127]	[-1]
5:	[-76, 127]	[-77;126]	[-1]
6:	[0, 127]	[-77;126]	[-1]
7:	[-128, 127]	[-77;127]	[-1]
8:	[-128, 127]	[0;127]	[-1]
9:	[-128, 127]	[-77;127]	[-1,127]
10:	[-128, 127]	[-77;127]	[-100,100]

2. Draw the control-flow graph for the following program, then perform range analysis.

All integer range [-128,127]

```
var a = input()
var c = 1
val r = 1
while(c < a) {
    if( a % c == 0 ) r = c
    c = c + 1
}
r = 64 / (64 - r)
```

2. Solution



2. Range analysis

	a	c	r
1:	bottom	bottom	bottom
2:	[-128, 127]	bottom	bottom
3:	[-128, 127]	[1]	bottom
4:	[-128, 127]	[1]	[1]
5:	[2, 127]	[1]	[1]
6:	[2, 127]	[1]	[1]
7:	[2, 127]	[1]	[1]
8:	[-128, 1]	[1]	[1]
9:	[-128, 1]	[1]	[1]

2. Range analysis

	a	c	r
1:	bottom	bottom	bottom
2:	[-128, 127]	bottom	bottom
3:	[-128, 127]	[1]	bottom
4:	[-128, 127]	[1, 2]	[1]
5:	[2, 127]	[1, 2]	[1]
6:	[2, 127]	[1, 2]	[1]
7:	[2, 127]	[1, 2]	[1, 2]
8:	[-128, 2]	[1, 2]	[1, 2]
9:	[-128, 2]	[1, 2]	[1]

2. Range analysis

	a	c	r
1:	bottom	bottom	bottom
2:	[-128, 127]	bottom	bottom
3:	[-128, 127]	[1]	bottom
4:	[-128, 127]	[1, 3]	[1, 2]
5:	[2, 127]	[1, 3]	[1, 2]
6:	[2, 127]	[1, 3]	[1, 2]
7:	[2, 127]	[1, 3]	[1, 3]
8:	[-128, 3]	[1, 3]	[1, 3]
9:	[-128, 3]	[1, 3]	[1]

2. Range analysis



	a	c	r
1:	bottom	bottom	bottom
2:	[-128, 127]	bottom	bottom
3:	[-128, 127]	[1]	bottom
4:	[-128, 127]	[1, 127]	[1, 126]
5:	[2, 127]	[1, 126]	[1, 126]
6:	[2, 127]	[1, 126]	[1, 126]
7:	[2, 127]	[1, 126]	[1, 126]
8:	[-128, 127]	[1, 126]	[1, 126]
9:	[-128, 127]	[1, 127]	[-64, 64]

3. Draw the control-flow graph for the following program, then perform range analysis.

All integer range [-128,127]

```
var x = 2
var y = input()
if (x == y) {
    do {
        y = y + 1
        x = x + y + 3
    } while (y < 4)
} else if (y <= -1 && y >= -7) {
    y = y * y
} else {
    y = x - 3
}
val z = x/y
```

3. Solution



3. Range analysis

x	y
1: bottom	bottom
2: [2, 2]	[-128, 127]
3: [2, 2]	[-128, 127]
4: [2, 127]	[2, 3]
5: [2, 127]	[3, 4]
6: [8, 127]	[3, 4]
7: [2, 2]	[-128, 127]
8: [2, 2]	[-128, -1]
9: [2, 2]	[-7, -1]
10: [2, 2]	[-128, 127]
11: [2, 127]	[-1, 49]
12: [2, 127]	[-1, 49]
	z: T